

Advanced Data Modeling

Summer Semester 2008

- Exercises V -

*To be handed in before **2008-06-01, 23:59** via e-mail to
sschenk@uni-koblenz.de, subject line: [ADM] ...*

- 1) Explain the term „range restricted clause“ with respect to the completion.

In a range restricted clause every variable in a clause occurs in at least one non negative body literal. That means, we have no existentials for variables in negative literals. As a result, when searching for a model we can restrict the search space by starting from a definite subprogram by removing all negative literals. Taking into account these literals later leads to the actual model.

Outlook: Depending on how we treat the negative literals we can come up with a slightly different semantics, the stable model semantics.

- 2) Prove that relational algebra has the same expressive power as non-recursive Datalog.

We can show that every relational operator can be mapped to an equivalent datalog expression and vice versa.

- 3) Are the following clauses range restricted?

- | | |
|---|-----|
| 1. $p(x, a) :- q(x, y, a), \text{not } r(y, a).$ | yes |
| 2. $p(x, a) :- q(a, a, x), \text{not } r(x, y).$ | no |
| 3. $p(x, x) :- r(x, y).$ | yes |
| 4. $p(x,y) :- y=a, \text{not } r(x,y).$ | yes |
| 5. $p(x,y) :- y=a, \text{not } r(x,y), q(x,y,a).$ | yes |


4) Model the following scenario using Datalog and draw a dependency graph:

There are different types of events: lectures, tutorials and seminars. Every event takes place in a certain room and has a start, an end time and a title. An event may have other events as prerequisites. Professors, students and research assistants are persons. Every person has a name and an e-mail address. Additionally, every professor has a working group and every research assistant works in a working group. Events are given by professors or research assistants. Every tutorial belongs to a lecture. Students attend events.

```

event(X) :- lecture(X).
event(X) :- tutorial(X).
event(X) :- seminar(X).
event(X) :- prerequisite(X, Y).
event(Y) :- prerequisite(X, Y).
person(X) :- professor(X).
person(X) :- student(X).
person(X) :- researchAssistant(X).
professor(X) :- hasWorkingGroup(X, Y).
workingGroup(Y) :- hasWorkingGroup(Y).
researchAssistant(X) :- worksIn(X, Y).
workingGroup(Y) :- worksIn(X, Y).
tutorial(X) :- belongsTo(X, Y).
lecture(Y) :- belongsTo(X, Y).
student(X) :- attends(X, Y).
event(Y) :- attends(X, Y).
inconsistent :- event(X), not eventDetail(X, _, _, _, _).
inconsistent :- person(X), not personDetails(X, _, _).
inconsistent :- professor(X), not hasWorkingGroup(X, _).
inconsistent :- researchAssistant(X), not worksIn(X, _).
inconsistent :- tutorial(X), not belongsTo(X, _).
consistent :- not inconsistent.

```



Is the resulting program in non-recursive Datalog?

Yes.

5) Compute the least Herbrand models of the following programs using the immediate consequence operator T_P .

1. $p(a) :- p(x), q(x).$
 $p(f(x)) :- p(x).$
 $q(b).$
 $q(f(x)) :- q(x).$

$$I_0 = \{\}$$

$$I_1 = \{q(b)\}$$

$$I_2 = \{q(b), q(f(b))\}$$

$$I_3 = \{q(b), q(f(b)), q(f(f(b)))\}$$

$$I_\omega = \{q(b), q(f(b)), \dots, q(f^\omega(b))\}$$

2. $p(a).$
 $p(b).$
 $q(c).$
 $q(x) :- \text{not } r(x,b).$
 $r(x,x) :- p(x).$

Not definite, not stratifiable. For the maximal definite subprogram we have:

$$I_0 = \{\}$$

$$I_1 = \{p(a), p(b), q(c)\}$$

$$I_2 = \{p(a), p(b), q(c), r(a,a), r(b,b)\}$$

3. $p_1(f(x)) :- p_1(x).$
 $p_2(a) :- p_1(x).$
 $p_2(f(x)) :- p_2(x).$
 $p_3(a) :- p_2(x).$
 $p_3(f(x)) :- p_3(x).$
 $p_4(a) :- p_3(x).$
 $p_4(f(x)) :- p_4(x).$
 $p_5(a) :- p_4(x).$

$$I_0 = \{\}$$